

## home information pack

Reference:EH25341A.00/PCK  
23 June 2009 @ 17:10

**Brynteg  
Cefn Coch  
Welshpool  
Powys  
SY21 0AE**

**NOTICE - COMPLIANT FOR 1st POINT OF MARKETING USE ONLY**

Under the Home Information Pack (Amendment) Regulations 2007 this HIP is compliant for the purposes of marketing the property. Either it contains all the documents required to be included at the 1st point of marketing or else 14 days have passed since production of the HIP commenced. It does NOT contain all the documents required in a completed HIP.



# home information pack index



## index

Brynteg  
Cefn Coch  
Welshpool  
Powys  
SY21 0AE

Document	Document Date	Included	Missing Document Details	Page Number
<b>Basic Pack Documents</b>				
Home Information Pack Index		✓		1-2
Property Information Questionnaire	11.06.2009	✓		3-10
Energy Performance Certificate	18.06.2009	✓		11-17
Sale Statement	16.06.2009	✓		18-19
<b>Title Information</b>				
Land Registry - Individual Register	16.06.2009	✓		20-23
Land Registry - Title Plan	16.06.2009	✓		24-26
<b>Search Reports</b>				
Local Land Charges Register Search		✗	Requested: 22.06.2009 Expected: 06.07.2009 Source: NPS, Kingfisher Court, Belbrook Business Park, Uckfield, East Sussex, TN22 1QQ	
Standard Enquiries of Local Authority		✗	Requested: 22.06.2009 Expected: 06.07.2009 Source: NPS, Kingfisher Court, Belbrook Business Park, Uckfield, East Sussex, TN22 1QQ	
Drainage & Water Enquiries	23.06.2009	✓		27-46

### Important Consumer Protection Information

Information relating to our commitments under the HIP Code and also our Complaints Procedure can be found inside the back cover of this Home Information Pack.

# property information questionnaire



# Property Information Questionnaire

## **This form should be completed by the seller.**

The seller may be the owner or owners; a representative with the necessary authority to sell the property for an owner who has died; a representative with the necessary authority to sell the property for a living owner (e.g. a power of attorney) or be selling in some other capacity. The form should be completed and read as though the questions were being answered by the owner.

## **If you are the seller, you should be aware that:**

- Answers given in this form should be truthful and accurate to the best of your knowledge. The questions have been designed to help the smooth sale of your home. Misleading or incorrect answers are likely to be exposed later in the conveyancing process and may endanger the sale.
- Information included in this form does not replace official documents or legal information. You should be prepared to provide such documents on request in support of the answers given in this form.
- If you hold any guarantees for work on your property, your buyer's conveyancer is likely to ask for evidence, which it is in your interests to make available as soon as possible.
- If anything changes to affect the information given in this form prior to the sale of your home, you should inform your conveyancer or estate agent immediately.

## **If you are an estate agent, you should be aware that:**

- This form should be completed by the seller but it is your responsibility to ensure that it is included in the Home Information Pack.
- The Property Misdescriptions Act 1991 does not apply where the form has been completed solely by the seller.

## **If you are the buyer, you should be aware that:**

- The information contained in this document should have been completed truthfully and accurately by the seller. However, the information does not replace official documents or legal information, you should confirm any information with your conveyancer.

**The seller must provide the information set out in Part 1 of this questionnaire.**

**Where the property being sold is a leasehold property, the seller must also complete Part 2 of this questionnaire.**

<b>Property Address</b>	Brynteg Cefn Coch Welshpool Powys SY21 0AE
<b>Seller's Name(s)</b>	Mrs Jane White Mr Paul White
<b>The Date the PIQ was Completed</b>	11/06/2009

## Part 1: All Properties

1.	When was the property purchased (MM/YYYY)?	11/2001
2.	Is your property a listed building or contained in a listed building?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Don't know
3.	What council tax band is the property in? [Note: Buyers should be aware that improvements carried out by the seller may affect the property's council tax banding following a sale]	<input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input type="checkbox"/> E <input type="checkbox"/> F <input checked="" type="checkbox"/> G <input type="checkbox"/> H
4.	What parking arrangements exist at your property?	<input checked="" type="checkbox"/> Garage <input type="checkbox"/> Allocated parking space <input type="checkbox"/> Driveway <input type="checkbox"/> On street <input type="checkbox"/> Resident permit <input type="checkbox"/> Metered parking <input type="checkbox"/> Shared parking <input type="checkbox"/> Other:
<b>Other Issues Affecting the Property</b>		
5.	Has there been any damage to your property as a result of storm or fire since you have owned it?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Don't know
5a.	If "yes", please give details.	Oakbeam over fireplace caught fire 2008. Had new chimney lining. New lintel, new beam and new log burner.
6.	If you have answered "yes" to question 5, was the damage the subject of an insurance claim?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Don't know
6a.	If "yes", please give details.	no
7.	Are you aware of any flooding at your property since you have owned it or before?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Don't know
7a.	If "yes", please give details.	

8. Have you checked the freely available flood risk data at the Environment Agency's website ( <http://www.environment-agency.gov.uk/subjects/flood> )?

- Yes
- No
- Don't know

8a. If "yes", please give details.

If "no" the buyer is advised to check the Environment Agency website for an indication of flood risk in the area.

9. Has there been any treatment of or preventative work for dry rot, wet rot or damp in the property since you have owned the property?

- Yes
- No
- Don't know

9a. If "yes", please give details of any guarantees relating to the work and who holds the guarantees.

### Utilities and Services

10. Is there central heating in your property?

- Yes
- No
- Don't know

10a. If "yes", please give details of the type of central heating.

- Gas Fired
- Oil Fired
- Solid Fuel
- Liquid Gas Petroleum
- Other

11. When was your central heating or other primary heating system last serviced?

- Last serviced \_\_\_\_\_ [year] a report is/is not available
- Not serviced
- Don't know

12. When was the electrical wiring in your property last checked?

- Last checked \_\_\_\_\_ [year] a report is/is not available
- Not checked
- Don't know

13. Please indicate which services are connected to your property:

Services	Connected
Electricity	✓
Gas	x
Water mains or private water supply	✓
Drainage to public sewer (if not connected please indicate whether there is a cesspool or septic tank)	x Cesspool/Septic Tank
Telephone	✓
Cable TV Or Satellite	✓
Broadband	✓

### Changes to the Property

14. Have you carried out any structural alterations, additions or extensions (e.g. provision of an extra bedroom or bathroom) to the property?

Yes  
 No  
 Don't know

14a. If "yes", please give details of the nature of the work

14b. Was building regulation approval obtained?

Yes  
 No  
 Don't know

14c. Was planning permission obtained?

Yes  
 No  
 Don't know

14d. Was listed building consent obtained?

Yes  
 No  
 Don't know

If the response was "no" for any of (b) to (d), please state why not (e.g. "not required" or "work completed under approved person scheme").

15. Have you had replacement windows, doors, patio doors or double glazing installed in your property?

Yes  
 No  
 Don't know

15a. If "yes", please give details of changes and guarantees, if held.

bathroom window April 09 Kitchen window approx 2006 No guarantees

### Access

16. Do you have right of access through any neighbouring homes, buildings or land?

- Yes
- No
- Don't know

16a. If "yes", please give details.

driveway from road to our driveway

17. Does any other person have a right of access through your property?

- Yes
- No
- Don't know

17a. If "yes", please give details.

### Leasehold Properties

18. Is your property a leasehold property?

- Yes
- No

If "yes" complete Part 2 of this questionnaire. If "no" there is no need to complete Part 2 of this questionnaire.

## Part 2: Leasehold Properties

Only complete this part if the property is a leasehold property. If the lease is a new one and has not yet been granted, please answer the questions based on the draft terms of the lease. Before entering into a binding commitment, buyers should confirm any matter relating to the leasehold ownership by reading the lease and checking the position with their conveyancer.

### Additional Information for Leasehold Properties

What is the name of the person or organisation to whom you pay -

19a. ground rent

19b. service charges (if different from (a) above)?

20. How many years does your lease have left to run?

21. How much is your current annual ground rent?

22. How much is your current annual service

23. How much is your current annual buildings insurance premium (if not included in the service charge)?

24. Are you aware of any proposed or ongoing major works to this property?

- Yes
- No
- Don't know

24a. If "yes", what type of works are they and what is the expected cost relating to this property (if known)?

Does the lease prevent you from -

25a. Sub-letting?

- Yes
- No
- Don't know

25b. Keeping pets?

- Yes
- No
- Don't know

Does the lease allow you to:

26a. Use a car park or space?

- Yes
- No
- Don't know

26b. Have access to a communal garden (where applicable)?

- Yes
- No
- Don't know

27. Leases often permit or prevent certain types of activity relating to the use of the property, those referred to in question (25) are examples. Are there any other conditions or restrictions in the lease which could significantly impact on a person's use of the property?

- Yes
- No
- Don't know

27a. If "yes", please specify.

## Explanatory Notes to Numbered Items

19. The landlord will normally be the person to whom the ground rent is payable, although it is possible that an agent may be employed to collect this on the landlord's behalf. The person or the organisation to whom the service charge is payable may be your landlord or head landlord or a residents' management company ? you should find the landlord's details on your latest service charge demand. It is also possible that an agent has been employed to collect service charges on their behalf.
20. The number of years is calculated by taking the original number of years the lease was granted for and deducting the number of years that have expired since the lease was first granted.
21. This information will be found in the lease.
22. This information will be found on the previous year's service charge demands.
24. Leaseholders should have been notified of this as part of the required consultation process where their contribution towards the work exceeds ?250.

Please note : All leaseholders should have their own copy of the lease although sometimes this is held by the mortgage lender or the conveyancer who handled the purchase. A copy can normally be obtained from the Land Registry ? [www.landregisteronline.gov.uk](http://www.landregisteronline.gov.uk). It is unlikely that the managing agent will be able to provide a copy of the lease.

energy performance certificate





# Energy Performance Certificate



Brynteg  
Cefn Coch  
WELSHPOOL  
Powys  
SY21 0AE

Dwelling type: Detached house  
Date of assessment: 18 June 2009  
Date of certificate: 18 June 2009  
Reference number: 9588-8030-6236-6531-4070  
Total floor area: 120 m<sup>2</sup>

This home's performance is rated in terms of the energy use per square metre of floor area, energy efficiency based on fuel costs and environmental impact based on carbon dioxide (CO<sub>2</sub>) emissions.



The energy efficiency rating is a measure of the overall efficiency of a home. The higher the rating the more energy efficient the home is and the lower the fuel bills are likely to be.

The environmental impact rating is a measure of a home's impact on the environment in terms of carbon dioxide (CO<sub>2</sub>) emissions. The higher the rating the less impact it has on the environment.

## Estimated energy use, carbon dioxide (CO<sub>2</sub>) emissions and fuel costs of this home

	Current	Potential
Energy use	349 kWh/m <sup>2</sup> per year	237 kWh/m <sup>2</sup> per year
Carbon dioxide emissions	8.2 tonnes per year	5.5 tonnes per year
Lighting	£73 per year	£58 per year
Heating	£1140 per year	£720 per year
Hot water	£185 per year	£176 per year

Based on standardised assumptions about occupancy, heating patterns and geographical location, the above table provides an indication of how much it will cost to provide lighting, heating and hot water to this home. The fuel costs only take into account the cost of fuel and not any associated service, maintenance or safety inspection. This certificate has been provided for comparative purposes only and enables one home to be compared with another. Always check the date the certificate was issued, because fuel prices can increase over time and energy saving recommendations will evolve.

To see how this home can achieve its potential rating please see the recommended measures.



This EPC and recommendations report may be given to the Energy Saving Trust to provide you with information on improving your dwelling's energy performance.

For advice on how to take action and to find out about offers available to help make your home more energy efficient call 0800 512 012 or visit [www.energysavingtrust.org.uk/myhome](http://www.energysavingtrust.org.uk/myhome)

## About this document

The Energy Performance Certificate for this dwelling was produced following an energy assessment undertaken by a qualified assessor, accredited by RICS, to a scheme authorised by the Government. This certificate was produced using the RdSAP 2005 assessment methodology and has been produced under the Energy Performance of Buildings (Certificates and Inspections)(England and Wales) Regulations 2007 as amended. A copy of the certificate has been lodged on a national register.

Assessor's accreditation number: RICS200443  
Assessor's name: Tudor Jones  
Company name/trading name: Principality Surveyors  
Address: Ty Croes Cwrlwys, Culverhouse  
Cross, Cardiff, CF5 6EH  
Phone number: 0845 0450 450  
Fax number: 0845 0450 460  
E-mail address: tudor.jones@principality.co.uk  
Related party disclosure:

## If you have a complaint or wish to confirm that the certificate is genuine

Details of the assessor and the relevant accreditation scheme are as above. You can get contact details of the accreditation scheme from their website at [www.rics.org/newregulation](http://www.rics.org/newregulation) together with details of their procedures for confirming authenticity of a certificate and for making a complaint.

## About the building's performance ratings

The ratings on the certificate provide a measure of the building's overall energy efficiency and its environmental impact, calculated in accordance with a national methodology that takes into account factors such as insulation, heating and hot water systems, ventilation and fuels used. The average Energy Efficiency Rating for a dwelling in England and Wales is band E (rating 46).

Not all buildings are used in the same way, so energy ratings use 'standard occupancy' assumptions which may be different from the specific way you use your home. Different methods of calculation are used for homes and for other buildings. Details can be found at [www.communities.gov.uk/epbd](http://www.communities.gov.uk/epbd)

Buildings that are more energy efficient use less energy, save money and help protect the environment. A building with a rating of 100 would cost almost nothing to heat and light and would cause almost no carbon emissions. The potential ratings in the certificate describe how close this building could get to 100 if all the cost effective recommended improvements were implemented.

## About the impact of buildings on the environment

One of the biggest contributors to global warming is carbon dioxide. The way we use energy in buildings causes emissions of carbon. The energy we use for heating, lighting and power in homes produces over a quarter of the UK's carbon dioxide emissions and other buildings produce a further one-sixth.

The average household causes about 6 tonnes of carbon dioxide every year. Adopting the recommendations in this report can reduce emissions and protect the environment. You could reduce emissions even more by switching to renewable energy sources. In addition there are many simple everyday measures that will save money, improve comfort and reduce the impact on the environment. Some examples are given at the end of this report.

### Visit the Government's website at [www.communities.gov.uk/epbd](http://www.communities.gov.uk/epbd) to:

- Find how to confirm the authenticity of an energy performance certificate.
- Find how to make a complaint about a certificate or the assessor who produced it.
- Learn more about the national register where this certificate has been lodged - the Government is the controller of the data on the register.
- Learn more about energy efficiency and reducing energy consumption.

## Recommended measures to improve this home's energy performance

Brynteg  
Cefn Coch  
WELSHPOOL  
Powys  
SY21 0AE

Date of certificate: 18 June 2009  
Reference number: 9588-8030-6236-6531-4070

### Summary of this home's energy performance related features

The following is an assessment of the key individual elements that have an impact on this home's performance rating. Each element is assessed against the following scale: Very poor / Poor / Average / Good / Very good.

Elements	Description	Current performance	
		Energy Efficiency	Environmental
Walls	Cavity wall, as built, no insulation (assumed)	Poor	Poor
Roof	Pitched, 100 mm loft insulation	Average	Average
Floor	Solid, no insulation (assumed)	-	-
Windows	Partial double glazing	Average	Average
Main heating	Boiler and radiators, oil	Average	Average
Main heating controls	Programmer, room thermostat and TRVs	Average	Average
Secondary heating	Room heaters, wood logs	-	-
Hot water	From main system	Average	Average
Lighting	Low energy lighting in 75% of fixed outlets	Very good	Very good
Current energy efficiency rating		E 42	
Current environmental impact (CO <sub>2</sub> ) rating			E 39

### Low and zero carbon energy sources

The following low or zero carbon energy sources are provided for this home:

- Biomass secondary heating

## Recommendations

The measures below are cost effective. The performance ratings after improvement listed below are cumulative, that is they assume the improvements have been installed in the order that they appear in the table.

Lower cost measures (up to £500)	Typical savings per year	Performance ratings after improvement	
		Energy efficiency	Environmental
1 Increase loft insulation to 270 mm	£30	E 43	E 40
2 Cavity wall insulation	£370	D 58	E 53
3 Low energy lighting for all fixed outlets	£11	D 59	E 54
<b>Sub-total</b>	<b>£411</b>		
<b>Higher cost measures</b>			
4 Install Band A condensing boiler	£33	D 60	D 55
<b>Total</b>	<b>£444</b>		
<b>Potential energy efficiency rating</b>		<b>D 60</b>	
<b>Potential environmental impact (CO<sub>2</sub>) rating</b>			<b>D 55</b>

## Further measures to achieve even higher standards

The further measures listed below should be considered in addition to those already specified if aiming for the highest possible standards for this home. However you should check the conditions in any covenants, planning conditions, warranties or sale contracts.

5 Solar water heating	£38	D 62	D 57
6 Solar photovoltaic panels, 2.5 kWp	£159	C 70	D 65
7 Wind turbine	£47	C 72	D 67
<b>Enhanced energy efficiency rating</b>		<b>C 72</b>	
<b>Enhanced environmental impact (CO<sub>2</sub>) rating</b>			<b>D 67</b>

Improvements to the energy efficiency and environmental impact ratings will usually be in step with each other. However, they can sometimes diverge because reduced energy costs are not always accompanied by a reduction in carbon dioxide (CO<sub>2</sub>) emissions.

## About the cost effective measures to improve this home's performance ratings

If you are a tenant, before undertaking any work you should check the terms of your lease and obtain approval from your landlord if the lease either requires it, or makes no express provision for such work.

### Lower cost measures (typically up to £500 each)

These measures are relatively inexpensive to install and are worth tackling first. Some of them may be installed as DIY projects. DIY is not always straightforward, and sometimes there are health and safety risks, so take advice before carrying out DIY improvements.

#### 1 Loft insulation

Loft insulation laid in the loft space or between roof rafters to a depth of at least 270 mm will significantly reduce heat loss through the roof; this will improve levels of comfort, reduce energy use and lower fuel bills. Insulation should not be placed below any cold water storage tank, any such tank should also be insulated on its sides and top, and there should be boarding on battens over the insulation to provide safe access between the loft hatch and the cold water tank. The insulation can be installed by professional contractors but also by a capable DIY enthusiast. Loose granules may be used instead of insulation quilt; this form of loft insulation can be blown into place and can be useful where access is difficult. The loft space must have adequate ventilation to prevent dampness; seek advice about this if unsure. Further information about loft insulation and details of local contractors can be obtained from the National Insulation Association ([www.nationalinsulationassociation.org.uk](http://www.nationalinsulationassociation.org.uk)).

#### 2 Cavity wall insulation

Cavity wall insulation, to fill the gap between the inner and outer layers of external walls with an insulating material, reduces heat loss; this will improve levels of comfort, reduce energy use and lower fuel bills. The insulation material is pumped into the gap through small holes that are drilled into the outer walls, and the holes are made good afterwards. As specialist machinery is used to fill the cavity, a professional installation company should carry out this work, and they should carry out a thorough survey before commencing work to ensure that this type of insulation is suitable for this home. They should also provide a guarantee for the work and handle any building control issues. Further information about cavity wall insulation and details of local installers can be obtained from the National Insulation Association ([www.nationalinsulationassociation.org.uk](http://www.nationalinsulationassociation.org.uk)).

#### 3 Low energy lighting

Replacement of traditional light bulbs with energy saving recommended ones will reduce lighting costs over the lifetime of the bulb, and they last up to 12 times longer than ordinary light bulbs. Also consider selecting low energy light fittings when redecorating; contact the Lighting Association for your nearest stockist of Domestic Energy Efficient Lighting Scheme fittings.

### Higher cost measures (typically over £500 each)

#### 4 Install Band A condensing boiler (separate from the range cooker)

A condensing boiler is capable of much higher efficiencies than other types of boiler, meaning it will burn less fuel to heat the property. It is recommended to install a separate condensing boiler, independent of the range cooker, but there may be exceptional circumstances making this impractical. Condensing boilers need a drain for the condensate which limits their location. Building Regulations apply to this work, so your local authority building control department should be informed, unless the installer is registered with a competent persons scheme<sup>1</sup>, and can therefore self-certify the work for Building Regulation compliance. Ask a qualified heating engineer to explain the options.

## About the further measures to achieve even higher standards

Further measures that could deliver even higher standards for this home. You should check the conditions in any covenants, planning conditions, warranties or sale contracts before undertaking any of these measures. If you are a tenant, before undertaking any work you should check the terms of your lease and obtain approval from your landlord if the lease either requires it, or makes no express provision for such work.

#### 5 Solar water heating

A solar water heating panel, usually fixed to the roof, uses the sun to pre-heat the hot water supply. This

<sup>1</sup> For information on competent persons schemes enter "existing competent person schemes" into an internet search engine or contact your local Energy Saving Trust advice centre on 0800 512 012.

will significantly reduce the demand on the heating system to provide hot water and hence save fuel and money. The Solar Trade Association has up-to-date information on local installers and any grant that may be available.

#### **6 Solar photovoltaic (PV) panels**

A solar PV system is one which converts light directly into electricity via panels placed on the roof with no waste and no emissions. This electricity is used throughout the home in the same way as the electricity purchased from an energy supplier. The British Photovoltaic Association has up-to-date information on local installers who are qualified electricians and on any grant that may be available. Planning restrictions may apply in certain neighbourhoods and you should check this with the local authority. Building Regulations apply to this work, so your local authority building control department should be informed, unless the installer is appropriately qualified and registered as such with a competent persons scheme<sup>1</sup>, and can therefore self-certify the work for Building Regulation compliance.

#### **7 Wind turbine**

A wind turbine provides electricity from wind energy. This electricity is used throughout the home in the same way as the electricity purchased from an energy supplier. The British Wind Energy Association has up-to-date information on suppliers of small-scale wind systems and any grant that may be available. Planning restrictions may apply and you should check this with the local authority. Building Regulations apply to this work, so your local authority building control department should be informed, unless the installer is appropriately qualified and registered as such with a competent persons scheme<sup>1</sup>, and can therefore self-certify the work for Building Regulation compliance. Wind turbines are not suitable for all properties. The system's effectiveness depends on local wind speeds and the presence of nearby obstructions, and a site survey should be undertaken by an accredited installer.

### **What can I do today?**

Actions that will save money and reduce the impact of your home on the environment include:

- Ensure that you understand the dwelling and how its energy systems are intended to work so as to obtain the maximum benefit in terms of reducing energy use and CO<sub>2</sub> emissions.
- Check that your heating system thermostat is not set too high (in a home, 21°C in the living room is suggested) and use the timer to ensure you only heat the building when necessary.
- Make sure your hot water is not too hot - a cylinder thermostat need not normally be higher than 60°C.
- Turn off lights when not needed and do not leave appliances on standby. Remember not to leave chargers (e.g. for mobile phones) turned on when you are not using them.
- Close your curtains at night to reduce heat escaping through the windows.
- If you're not filling up the washing machine, tumble dryer or dishwasher, use the half-load or economy programme.

---

<sup>1</sup> For information on competent persons schemes enter "existing competent person schemes" into an internet search engine or contact your local Energy Saving Trust advice centre on 0800 512 012.

sale statement



# sale statement

Brynteg  
Cefn Coch  
Welshpool  
Powys  
SY21 0AE

## Tenure

- Freehold (The property interest is a freehold estate)
- Leasehold (The property interest is leasehold)
- Commonhold (The property interest is a freehold estate in commonhold land)

## Land Registry Status

- Registered (The property interest is or includes the whole or part of a registered estate)
- Not Registered (The property interest is or includes the whole or part of an estate, the title in the register of title)

## Seller's Name(s)

1. Mrs Jane White
2. Mr Paul White

## Sellers's capacity

- Owner (The owner(s) of the property)
- Representative of Deceased Owner (A representative with the necessary authority to sell the property for an owner who has died)
- Representative of Living Owner (A representative with the necessary authority to sell the property for a living owner for example attorney)
- Mortgagee in Possession
- Trustee in Bankruptcy
- Treasury Solicitor
- Appointed Receiver

## Occupancy

- Vacant on Completion
- Part Occupied (Where one or more properties in a sub-divided building are marketed for sale as a dwelling property but at least one is with vacant possession for example, a house which is vacant but sold with an occupied annexe)

land registry - individual register




The electronic official copy of the register follows this message.

Please note that this is the only official copy we will issue. We will not issue a paper official copy.

Mae'r copi swyddogol electronig o'r gofrestr yn dilyn y neges hon.

Sylwch mai hwn yw'r unig gopi swyddogol a ddarparwn. Ni fyddwn yn darparu copi swyddogol papur.





Official copy  
of register of  
title  
Copi  
swyddogol o  
gofrestr teitl

Title number / Rhif teitl  
WA929501

Edition date / Dyddiad yr  
argraffiad 15.07.2008

- This official copy shows the entries on the register of title on 16 Jun 2009 at 10:35:55.
- This date must be quoted as the "search from date" in any official search application based on this copy.
- The date at the beginning of an entry is the date on which the entry was made in the register.
- Issued on 16 Jun 2009.
- Under s.67 of the Land Registration Act 2002, this copy is admissible in evidence to the same extent as the original.
- For information about the register of title see Land Registry website [www.landregistry.gov.uk](http://www.landregistry.gov.uk) or Land Registry Public Guide *1-A guide to the information we keep and how you can obtain it*.
- This title is dealt with by Land Registry Wales Office.
- Mae'r copi swyddogol hwn yn dangos y cofnodion yn y gofrestr teitl ar 16 Jun 2009 am 10:35:55.
- Rhaid dyfynnu'r dyddiad hwn fel y "dyddiad y chwilir ohono" mewn unrhyw gais am chwiliad swyddogol sy'n seiliedig ar y copi hwn.
- Y dyddiad ar ddechrau cofnod yw'r dyddiad y gwnaethpwyd y cofnod yn y gofrestr.
- Cyhoeddwyd ar 16 Jun 2009.
- Dan adran 67 Deddf Cofrestru Tir 2002, mae'r copi hwn yn dderbyniol fel tystiolaeth i'r un graddau â'r gwreiddiol.
- I gael gwybodaeth am y gofrestr teitl gweler gwefan y Gofrestrfa Tir [www.cofrestrfatir.gov.uk](http://www.cofrestrfatir.gov.uk) neu Gyfarwyddyd Cyhoeddus *1-Cyfarwyddyd i'r wybodaeth rydym yn ei chadw a sut y gallwch ei chael*.
- Gweinyddir t teitl hwn gan Gofrestrfa Tir Swyddfa Cymru.

## A: Property Register / Cofrestr Eiddo

This register describes the land and estate comprised in the title.

Mae'r gofrestr hon yn disgrifio'r tir a'r ystad a gynhwysir yn y teitl.

POWYS

- 1 (07.09.1999) The Freehold land shown edged with red on the plan of the above Title filed at the Registry and being Brynteg, Cefn Coch, Welshpool (SY21 0AE).

Title number / Rhif teitl WA929501

## B: Proprietorship Register / Cofrestr Perchnogaeth

This register specifies the class of title and identifies the owner. It contains any entries that affect the right of disposal.

Mae'r gofrestr hon yn nodi'r math o deitl ac yn enwi'r perchennog. Mae'n cynnwys unrhyw gofnodion sy'n effeithio ar yr hawl i waredu.

### Title absolute/Teitl llwyr

- 1 (10.01.2003) PROPRIETOR: PAUL WHITE and JANE BARBARA WHITE of Brynteg, Cefn Coch, Welshpool SY21 0AE.
- 2 (10.01.2003) The price stated to have been paid on 27 November 2002 was £249,950.
- 3 (07.08.2007) RESTRICTION: No disposition of the registered estate by the proprietor of the registered estate is to be registered without a written consent signed by the proprietor for the time being of the Charge dated 6 August 2007 in favour of GMAC-RFC Limited referred to in the Charges Register.

## C: Charges Register / Cofrestr Arwystlon

This register contains any charges and other matters that affect the land.

Mae'r gofrestr hon yn cynnwys unrhyw arwystlon a materion eraill sy'n effeithio ar y tir.

- 1 (07.08.2007) REGISTERED CHARGE dated 6 August 2007.
- 2 (07.08.2007) Proprietor: GMAC-RFC LIMITED (Co. Regn. No. 3489004) of 5 Arlington Square, Downshire Way, Bracknell, Berks RG12 1WA and of DX 122530 Bracknell 2.

### End of register / Diwedd y gofrestr

land registry - title plan



**These are the notes referred to on the following official copy**

The electronic official copy of the title plan follows this message.

Please note that this is the only official copy we will issue. We will not issue a paper official copy.

This official copy was delivered electronically and when printed will not be to scale. You can obtain a paper official copy by ordering one from Land Registry.

This official copy is issued on 16 June 2009 shows the state of this title plan on 16 June 2009 at 10:35:55. It is admissible in evidence to the same extent as the original (s.67 Land Registration Act 2002). This title plan shows the general position, not the exact line, of the boundaries. It may be subject to distortions in scale. Measurements scaled from this plan may not match measurements between the same points on the ground. See Land Registry Public Guide 19 - *Title Plans and Boundaries*.

This title is dealt with by the Land Registry, Wales Office .

© Crown copyright. Produced by Land Registry. Reproduction in whole or in part is prohibited without the prior written permission of Ordnance Survey. Licence Number 100026316.

**Dyma'r nodiadau y cyfeirir atynt ar y copi swyddogol canlynol.**

Mae'r copi swyddogol electronig o'r cynllun teitl yn dilyn y neges hon.

Sylwch mai dyma'r unig gopi swyddogol y byddwn yn ei ddarparu. Ni fyddwn yn darparu copi swyddogol papur.

Anfonwyd y copi swyddogol hwn yn electronig a phan gaiff ei argraffu ni fydd i raddfa. Gallwch gael copi swyddogol papur trwy archebu un o'r Gofrestrfa Tir.

Mae'r copi swyddogol hwn a gyhoeddir ar 16 Mehefin 2009 yn dangos sefyllfa'r cynllun teitl hwn ar 16 Mehefin 2009 am 10:35:55. Mae'n dderbyniol fel tystiolaeth i'r un graddau â'r gwreiddiol (adran 67 Deddf Cofrestru Tir 2002). Mae'r cynllun teitl hwn yn dangos safle cyffredinol, nid union linell, y terfynau. Gall fod gwyriadau yn y raddfa. Mae'n bosibl na fydd mesuriadau wedi eu graddio o'r cynllun hwn yn cyfateb â mesuriadau rhwng yr un pwyntiau ar y llawr. Gweler Cyfarwyddyd Cyhoeddus 19 - *Cynlluniau Teitl a Therfynau*.

Gweinyddir y teitl hwn gan Gofrestrfa Tir, swyddfa Cymru.

© Hawlfraint y Goron. Cynhyrchwyd gan y Gofrestrfa Tir. Gwaherddir atgynhyrchu'r cyfan neu ran heb ganiatâd ysgrifenedig blaenorol yr Arolwg Ordans. Rhif Trwydded 100026316.



This official copy is incomplete without the preceding notes page.  
 Mae'r copi swyddogol hon yn anghyflawn heb y ddiwedd nodiadau blaenorol.

drainage and water enquiries



Order Date: **Monday, 22 June 2009**  
Order No: **20144155**  
Customer Ref: **6449591**

**Search Choice**

200 Delta Business Park  
Great Western Way  
Swindon  
SN5 7XP

Severn Trent Searches has carried out enquiries into the following property, in line with its published terms of sale upon request from Search Choice

**Brynteg CEFN COCH**  
**Welshpool**  
**SY21 0AE**

In response to the enquiry for drainage and water information, this search report was prepared following examination of either the following original records or summary records derived from the original: the Map of Public Sewers, the Map of Waterworks, Water and Sewer Billing Records, Adoption of Public Sewer Records, Building Over Public Sewer Records, the Register of Properties subject to Internal Foul Flooding, the Register of Properties subject to Poor Water Pressure and the Drinking Water Register. Should the property not fall entirely within the Severn Trent Water Region, a copy of the records held by South Staffordshire Water of other relevant Water Company will be searched also. Severn Trent Searches is responsible for the accuracy of the information contained within the search report.

**Question 1**

**Interpretation of Drainage and Water Enquiry.**

Appendix 1 of this report contains definitions of terms and expressions identified in Part 1 of Schedule 8 of Statutory Instrument 2007 No 1667 known as the Home Information Pack (No.2) Regulations 2007 (the "Regulations").

**Question 2**

**Enquiries and Responses.**

The Search Report on the above property was completed on 23 Jun, 2009 by Nick Cornwall, a technician employed by Severn Trent Searches and complies with the requirements of the Regulations in relation to Drainage and Water Enquiries. In the event of any queries about the preparation of this search report, enquiries should be directed to:

[enquiries@severntrentsearches.com](mailto:enquiries@severntrentsearches.com)

Or the Customer Service Manager, Severn Trent Searches at the address below.

Severn Trent Searches has put in place procedures to ensure that customers receive support in the event of any complaint. Our formal Complaints Procedure is set out in Appendix 2.

The address for all correspondence is:

**Severn Trent Searches**  
**PO Box 6187**  
**Nottingham**  
**NG5 1LE**  
**Tel: 0115 962 7269**

or

**Severn Trent Searches**  
**DX 723860**  
**Nottingham 43**

## ORDER SUMMARY

---

To help understand the implications of the Drainage and Water Enquiries Report which has been prepared in accordance with Schedule 8 of the Home Information Pack Regulations, a summary guide to the content of the full report is provided below. This guide should be read in the context of and with reference to the full report and associated guidance notes.

The following 3 classifications have been used to highlight whether or not the response to a particular question is something that would normally be expected or otherwise. The classifications are intended purely as a guide to assist in the understanding of the HIPS Report and do not imply that the property is fit to purchase or otherwise and this decision will rest with the prospective purchaser and their professional advisers.

✓ This response represents the typical situation for a residential property.

⚠ The attention of the purchaser is drawn to this response. The purchaser may wish to make further investigations into this situation.

✗ This response represents an uncommon situation for a residential property and the purchaser should carefully consider its implications.

Question	Answer
3 Where relevant, please include a copy of an extract from the public sewer map.	Map Not Provided ✘
4 Does foul water from the property drain to a public sewer?	No ✘
5 Does surface water from the property drain to a public sewer?	No ✘
6 Are any sewers or lateral drains serving, or which are proposed to serve the property, the subject of an existing adoption agreement or an application for such an agreement?	No ✔
7 Does the public sewer map indicate any public sewer, disposal main or lateral drain within the boundaries of the property?	No ✔
8 Does the public sewer map indicate any public foul sewer within 30.48 metres (100 feet) of any buildings within the property?	No 📄
9 Has a Sewerage Undertaker approved or been consulted about any plans to erect a building or extension on the property over or in the vicinity of a public sewer, disposal main or drain?	No ✔
10 Where relevant, please include a copy of an extract from the map of waterworks.	Map Provided ✔
11 Is any water main or service pipe serving, or which is proposed to serve the property, the subject of an existing adoption agreement or an application for such an agreement?	No ✔
12 Who are the Sewerage and Water Undertakers for the area?	See Answer ✔
13 Is the property connected to mains water supply?	No ✘
14 Are there any water mains, resource mains or discharge pipes within the boundaries of the property?	No ✔
15 What is the current basis for charging for sewerage and water services at the property?	No Assets 📄
16 Will the basis for charging for sewerage and water services at the property change as a consequence of a change of occupation?	No ✔
17 Is a surface water drainage charge payable?	No ✔
18 Please include details of the location of any water meter serving the property.	N/A ✔
19 Who bills the property for sewerage services?	N/A ✘
20 Who bills the property for water services?	N/A ✘
21 Is the dwelling-house which is or forms part of the property at risk of internal flooding due to overloaded public sewers?	No ✔
22 Is the property at risk of receiving low water pressure or flow?	No ✔
23 Please include details of a water quality analysis made by the Water Undertaker for the water supply zone in respect of the most recent calendar year.	See Details 📄
24 Please include details of any departures, authorised by the Secretary of State under Part 6 of the 2000 Regulations, from the provisions of Part 3 of those Regulations; or for Wales please include details of any departures, authorised by the Welsh Ministers under Part 6 of the 2001 Regulations, from the provisions of Part 3 of those Regulations.	N/A ✔
25 Please confirm the distance from the property to the nearest boundary of the nearest sewage treatment works.	See Details ✔


**SEWER RECORD** Brynteg CEFN COCH, Welshpool, SY21 0AE

**This map is intentionally blank.**

**The Sewerage Undertakers Asset register shows that  
it holds no assets within 200 metres of the property.**

**1. Do not scale off drawing:** This plan is furnished as a general guide and no warranty as to its correctness is given or implied. This plan must not be relied upon in the event of excavations or other works in the vicinity of the company's assets. **2.** The material contained in this drawing has been based upon the Ordnance Survey Map by SEVERN TRENT WATER Ltd. by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown Copyright - SEVERN TRENT WATER Ltd. - **WU298522 3.** Document users other than SEVERN TRENT WATER business users are advised that this document is provided for reference purpose only and no further copies should be made from it.

**WATER RECORD** Brynteg CEFN COCH, Welshpool, SY21 0AE



1. Do not scale off drawing: This plan is furnished as a general guide and no warranty as to its correctness is given or implied. This plan must not be relied upon in the event of excavations or other works in the vicinity of the company's assets. 2. The material contained in this drawing has been based upon the Ordnance Survey Map by SEVERN TRENT WATER Ltd. by permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office. © Crown Copyright - SEVERN TRENT WATER Ltd. - WU298522 3. Document users other than SEVERN TRENT WATER business users are advised that this document is provided for reference purpose only and no further copies should be made from it.

## MAP KEYS

### Severn Trent Sewer Record

	Abandoned Gravity Sewer		Blind Shaft		Sewer Chemical Injection Point
	Private Combined Gravity Sewer		Combined Use Manhole		Sewer Junction
	Private Foul Gravity Sewer		Disposal Site		Sewerage Air Valve
	Private Surface Water Gravity Sewer		Flushing Chamber		Sewerage Hatch Box Point
	Public Combined Gravity Sewer		Foul Use Manhole		Sewerage Isolation Valve
	Public Foul Gravity Sewer		Grease Trap		Soakaway
	Public Surface Water Gravity Sewer		Head Node		Surface Water Manhole
	Trunk Combined Gravity Sewer		Hydrobrake		Vent Column
	Trunk Foul Use Gravity Sewer		Lamphole		Waste Water Storage
	Trunk Surface Water Gravity Sewer		Outfall		Culverted Watercourse
	Abandoned Pressurised Sewer		Overflow		Protective Strip
	Combined Use Pressurised Sewer		Penstock		Pre-1937 Properties
	Foul Use Pressurised Sewer		Petrol Interceptor		Sewage Pumping Facility
	Surface Water Pressurised Sewer		Sewage Treatment Works		Sewer Facility Connection Inlet / Outlet
	Highway Drain		Sewer Blockage		
	Combined Lateral Drain (SS)		Sewer Collapse		
	Foul Lateral Drain (SS)				
	Surface Water Lateral Drain (SS)				

All Private Sewers are shown in magenta  
All section 104 sewers are shown in green  
All Non-Sewer Standard (NSS) Lateral Drains are shown in orange

### Severn Trent Water Record

	Distribution Main		Pumping Facility		Water Isolation Valve (Closed)		Change in Characteristic
	Trunk Main (local/primary)		Booster Facility		Water Isolation Valve (Open)		Marker Post
	Strategic Main		Potable Water Storage		Water Isolation Valve (Partially Open)		Cable Junction
	Fire Supply Main		Water Tower		Water Air Valve		Anode
	Fire Main		Well / Borehole		Pressure Reducing Valve		Boundary Box
	Non-Domestic Customer Service Pipe		Intake		Pressure Sustaining Valve		Stop Tap
	Domestic Customer Service Pipe		Water Treatment Works / Chamber		Non-Return Valve		Cross Piece
	Abandoned Main		Draw-off Tower		Float Valve		Strainer
	Elevated Main		Bowser Point		Hydrant (Single/Double)		Listening Post
	Aqueduct		Water Facility Connection		Washout (Single/Double)		Revenue Meter
	Duct		Pipe Support Structure		Bulk Meter		Housing, Building
	Pre-1937 Properties		Open Pipe		Water Hatch Box		Housing, Kiosk
	SSSI Area		Discharge		Pressure Tapping		Housing, Other
	Protective Strip		End Cap		Insertion Flow Meter Point		Quality Sample Point

For a detailed glossary of the above terminology please visit, <http://www.severntrentsearches.com/glossary>

---

**Question 3**

**Q3**

**Where relevant, please include a copy of an extract from the public sewer map.**

**x**

**Map Not Provided**

No map is included, as there are no public sewers in the vicinity of the property.

---

[Guidance Notes](#)

Pipes that are shown on the public sewer map as sewers, disposal mains or lateral drains are defined as those for which a Sewerage Undertaker holds statutory responsibility under the Water Industry Act 1991. A Sewerage Undertaker is not generally responsible for rivers, watercourses, ponds, culverts or highway drains.

---

---

**Question 4**

**Q4**

**Does foul water from the property drain to a public sewer?**

**x**

Records indicate that foul water from the property does not drain to a public sewer.

**No**

---

[Guidance Notes](#)

The connection status of the property is based on information held on the billing records by the responsible water company. If foul water is not shown as draining to the public sewerage system the property may have private facilities in the form of a cesspit, septic tank or other type of treatment plant or maybe indirectly connected to the public sewerage system via a third party and it is recommended this is checked with the current owner. If an extract from the public sewer map is enclosed this will show known public sewers and lateral drains in the vicinity of the property and it should be possible to estimate the likely length and route of any private drains and/or private sewers that would be needed to connect the property to the public sewerage system.

---

**Question 5**

**Q5**

**Does surface water from the property drain to a public sewer?**

Records indicate that surface water from the property does not drain to a public sewer.

**✘**

**No**

Guidance Notes

The connection status of the property is based on information held on the billing records by the responsible water company. Sewerage Undertakers are not responsible for any private drains and private sewers that connect the property to the public sewerage system, and do not hold details of these. The property owner will normally have sole responsibility for private drains serving the property and may have shared responsibility with other users, if the property is served by a private sewer which also serves other properties. These may pass through land outside of the control of the seller and the buyer may wish to investigate whether separate rights or easements are needed for their inspection, repair or renewal. If surface water does not drain to the public sewerage system the property may have private facilities in the form of a soakaway or private connection to a watercourse. If a plan is attached this will show known public sewers and lateral drains in the vicinity of the property and it should be possible to estimate the likely length and route of any private drains and/or private sewers that would be needed to connect the property to the public sewerage system.

**Question 6**

**Q6**

**Are any sewers or lateral drains serving, or which are proposed to serve the property, the subject of an existing adoption agreement or an application for such an agreement?**

The property is part of an established development and is not subject to an adoption agreement.

**✔**

**No**

Guidance Notes

Adoption of certain private sewers close to the property may be possible under Section 102 of the Water Industry Act 1991. Please consult Severn Trent Water.

**Question 7**

**Q7**

**Does the public sewer map indicate any public sewer, disposal main or lateral drain within the boundaries of the property?**



**No**

The public sewer map indicates that there are no public sewers, disposal mains or lateral drains within the boundaries of the property. However, it has not always been a requirement for such public sewers, disposal mains or lateral drains to be recorded on the public sewer map. It is therefore possible for unidentified sewers, disposal mains or lateral drains to exist within the boundaries of the property.

**Guidance Notes**

The approximate boundary of the property has been determined by reference to the Ordnance Survey record. The presence of a public sewer, disposal main or lateral drain running within the boundary of the property may restrict further development. The Sewerage Undertaker has a statutory right of access to carry out work on its assets, subject to notice. This may result in employees of the Company or its contractors needing to enter the property to carry out work.

**Question 8**

**Q8**

**Does the public sewer map indicate any public foul sewer within 30.48 metres (100 feet) of any buildings within the property?**



**No**

The public sewer map indicates that there are no public foul sewers within 30.48 metres (100 feet) of a building within the property. However, it has not always been a requirement for such public sewers to be recorded on the public sewer map. It is therefore possible for unidentified sewers or public sewers to exist within the boundaries of the property.

**Guidance Notes**

The apparent absence of a public sewer within 100 feet of a building within the property is untypical. It may indicate that the property is connected to the public sewer through a length of private drain and/or private sewer running through third party private land or highway. The owner of the property covered by this HIP Report may have sole or shared liability for these lengths of private drain and/or private sewer up to the point where they connect into a public sewer. It is recommended that further investigation is made into how the property is connected to the public sewerage system.

**Question 9**

**Q9**

**Has a Sewerage Undertaker approved or been consulted about any plans to erect a building or extension on the property over or in the vicinity of a public sewer, disposal main or drain?**



**No**

There are no records in relation to any approval or consultation about plans to erect a building or extension on the property over or in the vicinity of a public sewer, disposal main or drain. However, the Sewerage Undertaker might not be aware of a building or extension on the property over or in the vicinity of a public sewer, disposal main or drain.

**Guidance Notes**

Buildings or extensions erected over a public sewer, disposal main or lateral drain in contravention of building controls or which conflict with the provisions of the Water Industry Act 1991 may have to be removed or altered.

**Question 10**

**Q10**

**Where relevant, please include a copy of an extract from the map of waterworks.**



**Map Provided**

A copy of an extract from the map of waterworks is included in which the location of the property is identified.

**Guidance Notes**

Pipes that are shown on the map of waterworks as water mains, resource mains or discharge pipes are defined as those for which a Water Undertaker holds statutory responsibility under the Water Industry Act 1991. Assets other than water mains, resource mains or discharge pipes may be shown on the plan, for information only. Water Undertakers are not responsible for private water mains or private service pipes connecting the property to the public water main and do not hold details of these. These may pass through land outside of the control of the seller, or may be shared with adjacent properties. The buyer may wish to investigate whether separate rights or easements are needed for their inspection, repair or renewal. The extract of the map of waterworks shows water mains in the vicinity of the property. It should be possible to estimate the likely length and route of any private water supply pipe connecting the property to the public water network.

**Question 11**

**Q11**

**Is any water main or service pipe serving, or which is proposed to serve the property, the subject of an existing adoption agreement or an application for such an agreement?**



**No**

Records confirm that water mains or service pipes serving the property are not the subject of an existing adoption agreement or an application for such an agreement.

**Guidance Notes**

Where the property is part of a very recent or ongoing development and the water mains and service pipes are not the subject of an adoption application, buyers should consult with the developer to confirm that the Water Undertaker will be asked to provide a water supply to the development or to ascertain the extent of any private water supply system for which they will hold maintenance and renewal liabilities.

**Question 12**

**Q12**

**Who are the Sewerage and Water Undertakers for the area?**

The Sewerage Undertakers for the area are:

Severn Trent Water  
Sherbourne House  
St Martins Road  
Coventry  
CV3 6SD

Tel: 0845 7500 500 For Billing Enquiries only  
Tel: 0845 7090 646 For Metering Enquiries only  
Tel: 0115 962 7269 For Search Enquiries only

<http://www.stwater.co.uk>

The Water Undertakers for the area are:

Severn Trent Water  
Sherbourne House  
St Martins Road  
Coventry  
CV3 6SD

Tel: 0845 7500 500 For Billing Enquiries only  
Tel: 0845 7090 646 For Metering Enquiries only  
Tel: 0115 962 7269 For Search Enquiries only

<http://www.stwater.co.uk>



**See Answer**

**Question 13**

**Q13**

**Is the property connected to mains water supply?**

Records indicate that the property is not connected to mains water supply and water is therefore likely to be provided by virtue of a private supply.



**No**

**Guidance Notes**

The connection status of the property is based on information held on the billing records by the responsible water company. This property maybe connected to a private water supply or indirectly supplied by a third party who is connected to the public water supply and it is recommended this is checked with the current owner. Details of private supplies or third party private arrangements are not kept by the Company.

**Question 14**

**Q14**

**Are there any water mains, resource mains or discharge pipes within the boundaries of the property?**



**No**

The map of waterworks does not indicate any water mains, resource mains or discharge pipes within the boundaries of the property.

[Guidance Notes](#)

The approximate boundary of the property has been determined by reference to the Ordnance Survey record. The presence of a public water main, resource main or discharge pipe within the boundary of the property may restrict further development within it. Water Undertakers have a statutory right of access to carry out work on their assets, subject to notice. This may result in employees of the Company or its contractors needing to enter the property to carry out work.

**Question 15**

**Q15**

**What is the current basis for charging for sewerage and water services at the property?**



**No Assets**

Records indicate that this enquiry relates to a property without assets.

**Question 16**

**Q16**

**Will the basis for charging for sewerage and water services at the property change as a consequence of a change of occupation?**



**No**

There will be no change in the current charging arrangements as a consequence of a change of occupation.

[Guidance Notes](#)

Water and Sewerage Companies full charges are set out in their charges schemes which are available from the Company free of charge upon request. The Company may install a meter at the premises where a buyer makes a change of use of the property or where the buyer uses water for watering the garden, other than by hand (this includes the use of sprinklers) or automatically replenishing a pond or swimming pool with a capacity greater than 10,000 litres.

**Question 17**

**Q17**

**Is a surface water drainage charge payable?**



**No**

Records confirm that a surface water drainage charge is not payable for the property.

[Guidance Notes](#)

Where surface water from a property does not drain to the public sewerage system no surface water drainage charges are payable.

**Question 18**

**Q18**

**Please include details of the location of any water meter serving the property.**



Records indicate that the property is not served by a water meter. Where the property is not served by a meter and the customer wishes to consider this method of charging they should contact:

**N/A**

Severn Trent Water  
 Sherbourne House  
 St Martins Road  
 Coventry  
 CV3 6SD

Tel: 0845 7500 500 For Billing Enquiries only  
 Tel: 0845 7090 646 For Metering Enquiries only  
 Tel: 0115 962 7269 For Search Enquiries only

<http://www.stwater.co.uk>

**Question 19**

**Q19**

**Who bills the property for sewerage services?**



The property is not billed for sewerage services.

**N/A**

**Question 20**

**Q20**

**Who bills the property for water services?**



The property is not billed for water services.

**N/A**

**Question 21**

**Q21**

**Is the dwelling-house which is or forms part of the property at risk of internal flooding due to overloaded public sewers?**



**No**

The property is not recorded as being at risk of internal flooding due to overloaded public sewers.

**Guidance Notes**

A sewer is 'overloaded' when the flow from a storm is unable to pass through it due to a permanent problem (e.g. flat gradient, small diameter). Flooding as a result of temporary problems such as blockages, siltation, collapses and equipment or operational failures are excluded. 'Internal flooding' from public sewers is defined as flooding which enters a building or passes below a suspended floor. For reporting purposes, buildings are restricted to those normally occupied and used for residential, public, commercial, business or industrial purposes. 'At Risk' properties are those that the Sewerage Undertaker is required to include in the Regulatory Register that is reported annually to the Water Services Regulation Authority. These are defined as properties that have suffered or are likely to suffer internal flooding from public foul, combined or surface water sewers due to overloading of the sewerage system more frequently than the relevant reference period (either once or twice in ten years) as determined by the Sewerage Undertaker's reporting procedure. Flooding as a result of storm events proven to be exceptional and beyond the reference period of one in ten years are not included on the 'At Risk' register.

**Question 22**

**Q22**

**Is the property at risk of receiving low water pressure or flow?**



**No**

Records confirm that the property is not recorded on a register kept by the Water Undertaker as being at risk of receiving low water pressure or flow.

**Guidance Notes**

'Low water pressure' means water pressure below the regulatory reference level which is the minimum pressure when demand on the system is not abnormal. Water Undertakers are required to include in the Regulatory Register that is reported annually to the Water Services Regulation Authority properties receiving pressure below the reference level, provided that allowable exclusions do not apply (i.e. events which can cause pressure to temporarily fall below the reference level). Water Companies are required to include in the Regulatory Register that is reported annually to the Director General of Water Services properties receiving pressure below the reference level, provided that allowable exclusions do not apply (i.e. events which can cause pressure to temporarily fall below the reference level). The reference level of service is a flow of 9 litres/minute at a pressure of 10 metres head on the customer's side of the main stop tap (mst). The reference level of service must be applied on the customer's side of a meter or any other company fittings that are on the customer's side of the main stop tap. The reference level applies to a single property. Where more than one property is served by a common service pipe, the flow assumed in the reference level must be appropriately increased to take account of the total number of properties served. For two properties, a flow of 18 litres/minute at a pressure of 10 metres head on the customer's side of the mst is appropriate. For three or more properties the appropriate flow should be calculated from the standard loadings provided in BS6700 or Institute of Plumbing handbook. Allowable exclusions: The Company is required to include in the Regulatory Register properties receiving pressure below the reference level, provided that allowable exclusions listed below do not apply. Abnormal demand: This exclusion is intended to cover abnormal peaks in demand and not the daily, weekly or monthly peaks in demand which are normally expected. Companies should exclude from the reported DG2 figures properties which are affected by low pressure only on those days with the highest peak demands. During the report year Companies may exclude, for each property, up to five days of low pressure caused by peak demand. Planned maintenance: Companies should not report under DG2 low pressures caused by planned maintenance. It is not intended that Companies identify the number of properties affected in each instance. However, Companies must maintain sufficiently accurate records to verify that low pressure incidents that are excluded from DG2 because of planned maintenance are actually caused by maintenance. One-off incidents: This exclusion covers a number of causes of low pressure, mains bursts, failures of Company equipment (such as PRVs or booster pumps), firefighting and action by a third party. However, if problems of this type affect a property frequently, they cannot be classed as one-off events and further investigation will be required before they can be excluded.

**Question 23**

**Q23**

**Please include details of a water quality analysis made by the Water Undertaker for the water supply zone in respect of the most recent calendar year.**



**See Details**

The analysis records confirmed that tests failed to meet the standards of the 2000 Regulations or the 2001 Regulations in relation to another substance or substances, and these are: A sample failed the Coliform Bacteria limit on 21/09/2007. Result = 10 per 100ml. The cause of this exceedance has been attributed to the condition of the customer's tap. Tap cleaning and disinfection carried out at the time of resampling has resolved the issue.

**Guidance Notes**

IMPORTANT - Please note the response to this question provides information about the water supply zone within which the property is situated and NOT the individual property shown above. Water companies are responsible for ensuring that the water provided is wholesome and is safe to drink. The quality of drinking water is monitored throughout the various stages of treatment and distribution. This includes source water abstractions, reservoirs and aquifers; the treatment process and finished treated water; the distribution system; and finally water at customers taps. The standards which must be complied with are some of the tightest in the world. They incorporate standards from the European Drinking Water Directive and UK Legislation (National Standards). These standards are used to monitor compliance against microbiological and chemical standards, including aesthetic standards such as colour, clarity and taste. Thousands of sample tests are carried out in a year. Sampling is carried out at randomly selected customer properties usually at the cold water tap in the kitchen. On rare occasions where a standard is not met an immediate investigation is carried out and remedial actions initiated as necessary. This includes consultation with Public Health Doctors and Environmental Health teams. The majority of these cases are minor or temporary in nature and are often associated with the condition or maintenance of the plumbing with an individual property. Customers are normally advised by letter of any specific individual property issues and a copy would be available from the vendor, if applicable. For further information on water quality information for a postcode, and facts leaflets on water quality, please contact the responsible water company. The primary responsibility for enforcing the standards and regulations lies with the Drinking Water Inspectorate (DWI). They independently assess the performance of all water companies and undertake technical audits of procedures and assets. They also produce an annual independent report summarising the performance of the water company.

**Question 24**

**Q24**

**Please include details of any departures, authorised by the Secretary of State under Part 6 of the 2000 Regulations, from the provisions of Part 3 of those Regulations; or for Wales please include details of any departures, authorised by the Welsh Ministers under Part 6 of the 2001 Regulations, from the provisions of Part 3 of those Regulations.**



**N/A**

There are no such authorised departures for the water supply zone.

**Guidance Notes**

Authorised departures are not permitted if the extent of the departure from the standard is likely to constitute a potential danger to human health. Please contact your Water Company if you require further information.

---

**Question 25**

**Q25**

**Please confirm the distance from the property to the nearest boundary of the nearest sewage treatment works.**



**See Details**

The nearest sewage treatment works is 2.249 KM to the South East of the property. The name of the nearest sewage treatment works is Adfa Newtown.

---

**Guidance Notes**

The nearest sewage treatment works will not always be the sewage treatment works serving the catchments within which the property is situated. The Sewerage Undertaker's records were inspected to determine the nearest sewage treatment works. It should be noted therefore that there may be private sewage treatment works closer than the one detailed above that have not been identified.

---

## **Appendix 1**

### **Terms and Expressions in this Report**

'the 1991 Act' means the Water Industry Act 1991[61];

'the 2000 Regulations' means the Water Supply (Water Quality) Regulations 2000[62];

'the 2001 Regulations' means the Water Supply (Water Quality) Regulations 2001[63];

'adoption agreement' means an agreement made or to be made under Section 51A(1) or 104(1) of the 1991 Act[64];

'bond' means a surety granted by a developer who is a party to an adoption agreement;

'bond waiver' means an agreement with a developer for the provision of a form of financial security as a substitute for a bond;

'calendar year' means the twelve months ending 31st December;

'discharge pipe' means a pipe which discharges are made or are to be made under Section 165(1) of the 1991 Act;

'disposal main' means (subject to section 219(2) of the 1991 Act) any outfall pipe or other pipe which - (a) is a pipe for the conveyance of effluent to or from any sewage disposal works, whether of a Sewerage Undertaker or of any other person; and (b) is not a public sewer;

'drain' means (subject to Section 219(2) of the 1991 Act) a drain used for the drainage of one building or of any buildings or yards appurtenant to buildings within the same curtilage;

'effluent' means any liquid, including particles of matter and other substance in suspension in the liquid;

'financial year' means the twelve months ending with 31st March;

'lateral drain' means - (a) that part of a drain which runs from the curtilage of a building (or buildings or yards within the same curtilage) to the sewer with which the drain communicates or is to communicate; or (b) (if different and the context so requires) the part of a drain identified in a declaration of vesting made under Section 102 of the 1991 Act or in an agreement made under Section 104 of that Act[65];

'licensed water supplier' means a company which is the holder for the time being of a water supply license under Section 17A(1) of the 1991 Act[66];

'maintenance period' means the period so specified in an adoption agreement as a period of time - (a) from the date of issue of a certificate by a Sewerage Undertaker to the effect that a developer has built (or substantially built) a private sewer or lateral drain to that Undertakers satisfaction; and (b) until the date that private sewer or lateral drain is vested in the Sewerage Undertaker;

'map of waterworks' means the map made available under Section 198(3) of the 1991 Act[67] in relation to the information specified in subsection (1A);

'private sewer' means a pipe or pipes which drain foul or surface water, or both, from premises, and are not vested in a Sewerage Undertaker;

'public sewer' means, subject to Section 106(1A) of the 1991 Act[68], a sewer for the time being vested in a Sewerage Undertaker in its capacity as such, whether vested in that Undertaker - (a) by virtue of a scheme under Schedule 2 to the Water Act 1989[69]; (b) by virtue of a scheme under Schedule 2 to the 1991 Act[70]; (c) under Section 179 of the 1991 Act[71]; or (d) otherwise;

'public sewer map' means the map made available under Section 199(5) of the 1991 Act[72];

'resource main' means (subject to Section 219(2) of the 1991 Act) any pipe, not being a trunk main, which is or is to be used for the purpose of - (a) conveying water from one source of supply to another, from a source of supply to a regulating reservoir or from a regulating reservoir to a source of supply; or (b) giving or taking a supply of water in bulk;

'sewerage services' includes the collection and disposal of foul and surface water and any other services which are required to be provided by a Sewerage Undertaker for the purpose of carrying out its functions;

'Sewerage Undertaker' means the company appointed to be the Sewerage Undertaker under Section 6(1) of the 1991 Act for the area in which the property is or will be situated;

'surface water' includes water from roofs and other impermeable surfaces within the curtilage of the property;

'water main' means (subject to Section 219(2) of the 1991 Act) any pipe, not being a pipe for the time being vested in a person other than the Water Undertaker, which is used or to be used by a Water Undertaker or licensed water supplier for the purpose of making a general supply of water available to customers or potential customers of the Undertaker or supplier, as distinct from for the purpose of providing a supply to particular customers;

'water meter' means any apparatus for measuring or showing the volume of water supplied to, or of effluent discharged from any premises;

'water supplier' means the company supplying water in the water supply zone, whether a Water Undertaker or licensed water supplier;

'water supply zone' means the names and areas designated by a Water Undertaker within its area of supply that are to be its water supply zones for that year; and

'Water Undertaker' means the company appointed to be the Water Undertaker under Section 6(1) of the 1991 Act for the area in which the property is or will be situated.

In this Report, references to a pipe, including references to a main, a drain or a sewer, shall include references to a tunnel or conduit which serves or is to serve as the pipe in question and to any accessories for the pipe.



The Law Society endorses the use of a residential drainage and water enquiry on all occasions where a property is being sold. With their unique knowledge of the water industry, the regional water companies of England & Wales are best placed to identify any risks relating to the location and ownership of public water mains and sewers before property purchases are completed.

We do accept that on occasions, customers may not be happy and seek clarification or confirmation that our records are correct. For such instances, the Water UK CON29DW group has developed a unified approach in dealing with customer enquiries and complaints, offering customers a set of minimum standards that would apply. These are listed below.

**Water UK: Residential Drainage and Water Search Complaint Procedure**

As a minimum standard Severn Trent Searches, PO Box 6187, Nottingham, NG5 1LE.

We will endeavour to resolve any telephone contact or complaint at the time of the call, however, if that isn't possible, we will advise you on how soon we can respond. If you are not happy with our initial response, we will advise you to write in via email, fax or letter explaining the reasons why you are not satisfied.

We will investigate and research the matter in detail and provide a written response within 5 working days of receipt of your complaint.

Depending on the scale of investigation required, we will keep you informed of the progress and update you with new timescales if necessary.

If we fail to give you a written substantive response within 5 working days, Severn Trent Searches will compensate you the original fee paid for the CON29DW Drainage and Water enquiry regardless of the outcome of your complaint.

If we find your complaint to be justified, or we have made any errors that change the outcome in your search result, we will automatically refund your search fee. We will provide you with a revised search and also undertake the necessary action, as within our control, to put things right as soon as practically possible. Customers will be kept informed of the progress of any action required.

If your search takes us longer than 10 working days to complete and we have not communicated the reasons for the delay, you will receive the search free of charge.

A complaint will normally be dealt with fully within 4 weeks of the date of its receipt. If there are valid reasons for the consideration taking longer, you will be kept fully informed in writing or via telephone or email as you prefer and receive a response at the very latest within 8 weeks.

If you are still not satisfied with our response or action, we will refer the matter to a Senior Manager/ Company Director for resolution. At your request we will liaise with counselling organisations on your behalf.

If you are not satisfied with the final decision, you may refer the complaint to the Independent Property Codes Adjudication Scheme (IPCAS), contact details below. We will co-operate fully with the independent adjudicator during the consideration of a complaint by the IPCAS and comply with any decision.

Complaints should be sent to:  
Customer Services  
Severn Trent Searches  
PO Box 6187, Nottingham, NG5 1LE  
Phone: 0115 962 7269  
Email: [enquiries@severntrentsearches.com](mailto:enquiries@severntrentsearches.com)

IPCAS can be contacted at:  
IDRS Ltd, 24 Angel Gate, City Road, London EC1V 2PT  
Phone: 020 7520 3800  
Fax: 020 7520 3829  
E-mail: [info@idrs.ltd.uk](mailto:info@idrs.ltd.uk)

**DRAINAGE & WATER ENQUIRY (DOMESTIC)  
TERMS AND CONDITIONS**

The Customer the Client and the Purchaser are asked to note these terms, which govern the basis on which this drainage and water report is supplied.

**Definitions**

"The Company" means the water service company or their data service provider producing the Report.  
"Order" means any request completed by the Customer requesting the Report.  
"Report" means the drainage and/ or water report prepared by The Company in respect of the Property.  
"Property" means the address or location supplied by the Customer in the Order.  
"Customer" means the person, company, firm or other legal body placing the Order, either on their own behalf as Client, or, as an agent for a Client.  
"Client" means the person, company or body who is the intended recipient of the Report with an actual or potential interest in the Property.  
"Purchaser" means the actual or potential purchaser of an interest in the Property including their mortgage lender.  
"the Regulations" means the Home Information Pack (No.2) Regulations 2007.

**Agreement**

1.1 The Company agrees to supply the Report to the Customer and to allow it to be provided to the Client and the Purchaser subject in each case, to these terms. The scope and limitations of the Report are described in paragraph 2 of these terms. The Customer shall be responsible for bringing these terms to the attention of the Client and the Purchaser as necessary.  
1.2 The Customer the Client and the Purchaser agree that the placing of an Order for a Report and the subsequent provision of a copy of the Report to the Purchaser indicates their acceptance of these terms.

**The Report**

2. Whilst The Company will use reasonable care and skill in producing the Report, it is provided to the Customer the Client and the Purchaser on the basis that they acknowledge and agree to the following:-  
2.1 The information contained in the Report can change on a regular basis so The Company cannot be responsible to the Customer the Client and the Purchaser for any change in the information contained in the Report after the date on which the Report was produced and sent to the Customer.  
2.2 The Report does not give details about the actual state or condition of the Property nor should it be used or taken to indicate or exclude actual suitability or unsuitability of the Property for any particular purpose, or relied upon for determining saleability or value, or used as a substitute for any physical investigation or inspection. Further advice and information from appropriate experts and professionals should always be obtained.  
2.3 The information contained in the Report is based upon the accuracy of the address supplied to The Company.  
2.4 The Report provides information as to the location and connection of existing services and other information required to comply with the provisions of the Home Information Pack Regulations in relation to drainage and water enquiries and should not be relied on for any other purpose. The Report may contain opinions or general advice to the Customer the Client and the Purchaser which The Company cannot ensure is accurate, complete or valid and for which it accepts no liability.  
2.5 The position and depth of apparatus shown on any maps attached to the Report are approximate, and are furnished as a general guide only, and no warranty as to their correctness is given or implied. The exact positions and depths should be obtained by excavation trial holes and the maps must not be relied on in the event of excavation or other works made in the vicinity of The Company's apparatus.

**Liability**

3.1 The Company shall not be liable to the Customer the Client or the Purchaser for any failure defect or non-performance of its obligations arising from any failure of or defect in any machine, processing system or transmission link or anything beyond The Company's reasonable control or the acts or omissions of any party for whom The Company is not responsible.  
3.2 Where a report is requested for an address falling within a geographical area where two different Companies separately provide Water and Sewerage Services, then it shall be deemed that liability for the information given by either Company will remain with that Company in respect of the accuracy of the information supplied. A Company that supplies information which has been provided to it by another Company for the purposes outlined in this agreement will therefore not be liable in any way for the accuracy of that information and will supply that information as agent for the Company from which the information was obtained.  
3.3 The Report is produced only for use in relation to individual domestic property transactions which require the provision of drainage and water information pursuant to the provisions of the Regulations and cannot be used for commercial developments of domestic properties or commercial properties for intended occupation by third parties.

3.4 The Company shall accept liability for death or personal injury arising from its negligence but in any other case the Company's liability for negligence shall be in accordance with the permitted limit for liability identified in Schedule 6 paragraph 8 of the Regulations. In accordance with Schedule 6 paragraph 7 of the Regulations such liability will be met by The Company or its insurers and The Company has and will maintain an appropriate contract of insurance.

**Copyright and Confidentiality**

4.1 The Customer the Client and the Purchaser acknowledge that the Report is confidential and is intended for the personal use of the Client and the Purchaser. The copyright and any other intellectual property rights in the Report shall remain the property of The Company. No intellectual or other property rights are transferred or licensed to the Customer the Client or the Purchaser except expressly provided.  
4.2 The Customer or Client is entitled to make copies of the Report but may only copy the maps contained in the, or attached to the Report, if they have an appropriate Ordnance Survey licence.  
4.3 The Customer the Client and the Purchaser agree (in respect of both the original and any copies made) to respect and not to alter any trademark, copyright notice or other property marking which appears on the Report.  
4.4 The maps contained in the Report are protected by Crown Copyright and must not be used for any purpose outside the context of the Report.  
4.5 The Customer and the Client and the Purchaser agree on a joint and several basis to indemnify The Company against any losses, costs, claims and damage suffered by The Company as a result of any breach by any of them of the terms of paragraphs 4.1 to 4.4 inclusive.

**Payment**

5. Unless otherwise stated all prices are inclusive of VAT. The Customer shall pay for the price of the Report specified by The Company, without any set off, deduction or counterclaim. Unless the Customer has an account with The Company for payment for Reports, The Company must receive payment for Reports in full before the Report is produced. For Customers with accounts, payment terms will be as agreed with The Company.

**General**

6.1 If any provision of these terms is or becomes invalid or unenforceable, it will be taken to be removed from the rest of these terms to the extent that it is invalid or unenforceable. No other provision of these terms shall be affected.  
6.2 These terms shall be governed by English law and all parties submit to the exclusive jurisdiction of the English courts.  
6.3 Nothing in this notice shall in any way restrict the Customer the Clients or the Purchasers statutory or any other rights of access to the information contained in the Report.  
6.4 The Report is supplied subject to these terms and conditions which include the terms required by Schedule 6 paragraphs 5, 6 and 7 of the Regulations.  
6.5 These terms and conditions may be enforced by the Customer the Client and the Purchaser.

Residential DW Terms and Conditions - HIPS Revisions- Final Version 1.2doc

Severn Trent Searches is a trading name of Severn Trent Retail and Utility Services Ltd. Registered in England and Wales no.2562471 Registered office 2297 Coventry Road Birmingham, B26 3PU.

# Important Consumer Protection Information

This HIP has been produced by ehips Ltd of The Old Grammar School, Church Road, Thame, Oxon, OX9 3AJ Co. Number 06204972, Tel:01844 265385, ehips@utdgroup.com, which is registered with the Property Codes Compliance Board as a subscriber to the HIP Code.



The HIP Code provides protection for homebuyers, sellers, conveyancers and mortgage lenders, who rely on information included within a Home Information Pack provided on residential property within England and Wales. It sets out minimum standards which organisations providing HIPs have to meet. This information is designed to introduce the HIP Code to you.

By giving you this information, your HIP provider is confirming that they keep to the principles of the HIP Code. This provides important protection for you.

## The Code's main commitments

The HIP Code's key commitments say that HIP organisations will:

- Provide HIPs promptly and include the most up-to-date available information when compiled.
- Handle complaints speedily and fairly.
- Respond promptly to queries raised on a HIP, to ensure improved understanding.
- At all times maintain adequate and appropriate insurance cover to protect you.
- Act with integrity and ensure that all HIP services comply with relevant laws, regulations and industry standards.

## Keeping to the HIP Code

How HIP providers maintain compliance with the HIP Code is monitored independently by the Property Codes Compliance Board (PCCB). If you have a query or complaint about your HIP, you should raise it directly with the firm, and if appropriate ask for your complaint to be considered under their formal internal complaints procedure. If you remain dissatisfied with the firm's final resolution after your complaint has been formally considered or if the firm has exceeded the response timescales, you may refer your complaint to the Independent Property Codes Adjudication Scheme (IPCAS). IPCAS can award compensation of up to £5,000 to you if it finds that you have suffered loss as a result of your HIP provider failing to keep to the Code.

**Please note that all queries or complaints regarding your HIP should be directed to your HIP provider in the first instance, not to IPCAS.**

IPCAS Contact Details: Telephone: 020 7520 3800 E-mail: info@idrs.ltd.uk

You can also get more information about the PCCB from our website at: [www.propertycodes.org.uk](http://www.propertycodes.org.uk)

**PLEASE ASK YOUR HIP PROVIDER IF YOU WOULD LIKE A COPY OF THE FULL HIP CODE.**

## Our Complaints Procedure

ehips is registered with the Property Codes Compliance Board as a subscriber to the HIP Code. A key commitment under the Code is that firms will handle any complaints both speedily and fairly.

If you want to make a complaint, we will:

- Acknowledge it within 5 working days of receipt.
- Normally deal with it fully and provide a final response, in writing, within 20 working days of receipt.
- Keep you informed by letter, telephone or e-mail, as you prefer, if we need more time.
- Provide a final response, in writing, at the latest within 40 working days of receipt.
- Liaise, at your request, with anyone acting formally on your behalf.

If you are not satisfied with our final response, you may refer the complaint to IPCAS.

We will co-operate fully with the independent adjudicator during an investigation and comply with the adjudicator's decision.

Complaints should be sent to:

Judith Dickinson  
ehips Ltd  
The Old Grammar School  
Church Road  
Thame  
OX9 3AJ  
Tel: 01844 262385  
Email: [complaints.ehips@utdgroup.com](mailto:complaints.ehips@utdgroup.com)



The Old Grammar School  
Church Road  
Thame  
Oxfordshire  
OX9 3AJ

Tel: 01844 265402  
Fax: 01844 265371  
Email: [hips4u@utdgroup.com](mailto:hips4u@utdgroup.com)

